CONTENTS

NO. 1 FEBRUARY

OBITUARY

T. HRABA. Milan Hašek 1925–1984 1

ORIGINAL ARTICLES

M. J, TELEN. An antibody to human thymic Hassall's body epithelium recognizes a subset of blood group A antigens 3

A. ZEEVI AND R. J. DUQUESNOY. Specificity of alloactivated human T lymphocyte clones in secondary proliferation, cell-mediated lympholysis and interleukin-2 release 17

P. HUNT, S. S. BURNSIDE AND D. W. SEARS. Evidence of only one *H-2D/L*-related glycoprotein in *H-2*^{dm1} mutant cells 33

P. DEL GUERCIO, D. MOUTON, M.-F. DEL GUERCIO AND G. BIOZZI. Regulatory function of Thy-1-negative cells. V. A lymphokine of B cell origin (BEF) induces *in vitro* high antibody response in genetically selected low responder mice 45

U. H. WIBERG AND A. MAYEROVÁ. Serologically H-Y antigen-negative XO mice .. 55

SHORT COMMUNICATIONS

T. TAKENOUCHI, M. KASAHARA, K. OGASAWARA, H. IKEDA, N. ISHIKAWA, S. HAWKIN, A. WAKISAKA AND M. AIZAWA. Electrophoretic analysis of HLA-DR2 molecules isolated from HLA-Dw2 and HLA-Dw12 cell lines 65

T. OIKAWA, H. KATOH, Y. SHOJI, K. ESAKI, M. ISHIKAWA, N. YUHKI, N. KUZUMAKI, M. TATENO AND T. YOSHIKI. Genetic differences between two substrains of NZB mice 71

H. W. KUNZ, D. N. MISRA AND T. J. GILL, III. Production of monoclonal antibodies against RT2 antigens of the rat and the definition of a new locus, *RT9*, linked to *RT2* 75

ANNOUNCEMENT 79

NO. 2 APRIL

ORIGINAL ARTICLES

J. BERTRAMS AND M. P. BAUR. No. interaction between HLA and immunoglobulin IgG heavy chain allotypes in early onset type 1 diabetes 81

J. KRÁLOVÁ AND M. NĚMEC. Female popliteal lymph node responses to H-Y antigen on male thymocytes in mice. I. Regulation of primary and secondary responses by *H-2*-associated *Ir* genes 87

S. P. Stephenson, R. C. Morley and G. W. Butcher. Genetics of the rat CT system: its apparent complexity is a consequence of cross-reactivity between the distinct MHC class I antigens RT1.C and RT1.A 101

Short Communications

M. A. Shaw, P. Tippett, J. D. A. Delhanty, M. Andrews and P. Goodfellow. Expression of Xg and the 12E7 antigen in primates 115

O. A. Sant'Anna, O. M. Ibañez, M. Gennari, J. C. Mevel, M. Siqueira and D. Mouton. Non-specific regulation of immune responsiveness to a thymus-independent antigen, TNP-LPS, in high and low responder lines of mice 119

NO. 3 JUNE

Original Articles

L. Hammarström, R. Grubb and C. I. E. Smith. Gm allotypes in IgA deficiency 125

E. van Loghem, T. Tauszik, S. Hollàn and L. E. Nijenhuis. Immunoglobulin allotypes in Hungarian Gypsies: relationship to populations from India 131

P. Chardon, Ch. Renard, M. Kirszenbaum, Cl. Geffrotin, D. Cohen and M. Vaiman. Molecular genetic analyses of the major histocompatibility complex in pig families and recombinants 139

J. H. Rogers, M. F. Lyon and K. R. Willison. The arrangement of *H-2* class I genes in mouse *t* haplotypes 151

T. H. Hansen, S. L. Koprak, E.-M. Wormstall, B. J. Olson and R. D. Jackson. Long-term passive enhancement of allogeneic skin grafts with monoclonal antibodies 167

Short Communication

B. T. Shannon, L. L. Williams, J. A. Fedrick and J. P. Pandey. Gm and Km allotypes in Charcot-Marie-Tooth Disease 175

Announcement 179

NOS. 4/5 AUGUST/OCTOBER

Original Articles

G. J. Laundy and B. A. Bradley. Immunoglobulin allotypes in patients in end-stage renal failure 181

G. De Lange, Z. Fa-Ming, J. Henke, Z. Feng, R. Bernhardt, F. van Leeuwen and P. van Eede. Immunoglobulin allotypes in a Chinese population: comparison of haplotype frequencies with other Asian groups. 191

C. J. Krco, T. J. Gorzynski and T. Beito. Characterization of a monoclonal antibody that recognizes a determinant unique to human haemoglobin β-chain .. 197

K. KASAL, J. GALTON, P. I. TERASAKI, A. WAKISAKA, M. KAWAHARA, T. ROOT AND S.-I. HAKOMORI. Tissue distribution of the P^k antigen as determined by a monoclonal antibody 213

J. KRÁLOVÁ AND M. NĚMEC. Female popliteal lymph node responses to H-Y antigen on male thymocytes in mice II. H-2 restriction of secondary responses . 221

S. H. LEECH, C. F. BRYAN AND R. C. ELSTON. Augmentation of the antibody response by hapten help II. Determination by many genes outside the MHC ... 229

D. M. LUBAROFF, H. D. HUNT AND G. T. RASMUSSEN. Evidence from capping experiments for independence of the RT7 alloantigen and the leucocyte common antigen in the rat 239

M. L. HIBBS, P. M. HOGARTH, P. R. COLLINS AND I. F. C. MCKENZIE. The cell surface phenotype of mouse neutrophils 247

SHORT COMMUNICATION

G. PAIRITZ, R. P. ERICKSON, J. SCHULTZ AND C. F. SING. Failure to detect association of isolated cleft palate with HLA antigens 259

NO. 6 DECEMBER

COMMENTARY

K. BERG. Genetic variation in low density lipoprotein. Beginning of a new era? ... 263

ORIGINAL ARTICLES

T. J. GORZYNSKI, C. J. KRCO AND C. S. DAVID. The Hb-2d cross-reactive idiotype. A common idiotype expressed by monoclonal and polyclonal antibodies to human haemoglobin 267

T. J. GORZYNSKI, C. J. KRCO AND C. S. DAVID. An idiotope expressed on a monoclonal antibody specific for human haemoglobin beta chain and naturally occurring immunoglobulin(s) 281

C. S. DOTT AND A. HOWARD. Can genetic polymorphism of alpha-2-macroglobulin be detected by immunoelectrophoresis? A study using sera, plasma and joint fluids from patients with rheumatoid arthritis and controls 293

T. CREPALDI, M. E. FASANO, C. FRATTASIO, D. CENTIS, E. S. CURTONI AND P. RICHIARDI. Identification of anti-DQ alloantisera correlated with DR5 301

V. FERREIRA, M. GENNARI, M. H. REIS, M. SIQUEIRA, C. STIFFEL, D. MOUTON AND G. BIOZZI. Potentialities of immunocompetent cells in high and low antibody-producing lines of mice obtained by selective breedings for responsiveness to flagellar or somatic antigens of *Salmonellae* 309

D. FATHALLAH, M. ABBAL, M. THOMSEN, A. CAMBON-THOMSEN AND R. D. CAMPBELL. A DNA restriction fragment length polymorphism in the complement region of the human MHC shows an absolute correlation with polymorphism of complement factor B(Bf) defined by isoelectric focusing 321

SHORT COMMUNICATION

P. H. KAY, A. N. WILTON AND R. L. DAWKINS. Preferential paternal transmission of the diabetogenic supratype marked by *HLA B18 BfF1 DR3* 327

ACKNOWLEDGMENTS 331

AUTHOR INDEX TO VOLUME 12 333

SUBJECT INDEX TO VOLUME 12 338